Baumatic®

: the smart choice

PYTHAGORA

GEOMETRY AT WORK

ovens : cooktops : rangehoods : upright cookers : dishwashers : microwaves : coffee machines

250°
12:46
ON/OFF
STOP

Baumatic®

: the smart choice

www.baumatic.com.au

Founded in London during 1992, Baumatic is recognized as a major international appliance brand, available through more than 65 countries worldwide. With recent expansions into France and Russia, Baumatic has established itself as a leading company in the design and manufacture of kitchen appliances. With an emphasis on bringing the latest technology in kitchen appliances to the market, focusing on style, functionality, and most importantly value for money.

With the Pythagora range of products, Baumatic has taken the next step into the future of kitchen appliance design. Sleek, stylish and sophisticated, the Pythagora range will define both the aesthetic and the practical elements of your kitchen. Technology here plays a particularly strong part, with intelligent electronics, surface heat reduction solutions, time saving programs and much more. With the unsurpassed performance and functionality of Baumatic, you can be sure that you've made the smart choice when it comes to your kitchen.

The Baumatic range includes ovens, cooktops, rangehoods, dishwashers, upright cookers, coffee machines and warming drawers.

A three year extended customer care program and warranty comes standard with all Baumatic products.

Baumatic – The smart choice.

The Pythagora range is available exclusively through all Clive Peeters and Rick Hart stores. Call 1300 763 279 for your nearest store.

PYTHAGORA

GEOMETRY AT WORK

Class A Energy Efficiency

Here at Baumatic we take caring for the environment very seriously. This is why Baumatic ensures that our ovens are of the highest standard of energy efficiency.

The European Union enforce energy ratings for all upright cookers and inbuilt ovens, the highest energy efficiency rating attainable is Class A. All Baumatic upright cookers and inbuilt ovens have been tested and have received the Class A energy rating.

Mark Free Stainless Steel

Touch the Baumatic oven and you will immediately see how it will leave a lasting impression of a different kind. Your fingermarks will not be left behind on the oven emphasizing the wonderful advantage of this mark free stainless steel finish on all Baumatic ovens.

Cleaning will become an easy wipe over action rather than a tedious effort of continuous polishing to create that lasting shine.

Pyrolytic Cleaning and Wipe Clean Enamel Interior

To aid the cleaning process Baumatic have true self-cleaning ovens whereby you select the Pyrolitic function that enables the ovens to reach 500 C. This temperature is sustained during a period of 90 minutes allowing any emissions produced during everyday cooking to be burnt to ashes.

These ash deposits can be easily wiped clean from the non porous oven enamel with a soft damp cloth once the oven has cooled down. Baumatic have designed oven doors that lock automatically during this process, in order to ensure your safety.



Cavity Cooling and Cool Door System

An inbuilt cooling fan circulates air around the oven to maintain safe surface temperatures and protect cabinets from heat damage. This fan works to ensure that the inside of your oven and control panel do not overheat. Even after you have finished cooking, the cooling fan will continue to work until the temperature reaches a safe level.

On certain models the cavity cooling is coupled with the cool door system in which the inbuilt cooling fan circulates air around the oven and through the door.

Triple Glazed Glass Doors

Three layers of glass in the oven door maintain the internal temperature more efficiently while keeping the external door temperature safer to touch. Most ovens now come with a full width inner door glass, making cleaning easier.

Twin Safety Cut Out Switches

All Baumatic ovens have two safety switches. If the oven exceeds the recommended temperature, the safety switch will automatically cut the power off.

Electronic Control and Program Timer

Some Baumatic ovens are enhanced with an electronic control system utilising electronic thermostats and temperature displays.

All Baumatic ovens are equipped with an electronic fully programmable LED clock with digital display. The advantage of these LED clocks whilst displaying the time continuously is the ability to operate the clock as a timer while cooking and in addition offer the convenience of fully programming your oven to turn on and off to have your meal ready any time of the day.

Removable Door, Side Racks and Roof Liners

In order to make our ovens easier to maintain, Baumatic have developed oven doors with superior hinging that can be easily detached without the aid of any tool.

Additionally the removable roof liner above the upper element that protects the top of the cavity from cooking splashes can smoothly slide out to be easily and conveniently cleaned at the sink.

Baumatic ovens incorporating the chromed steel side shelf holders and racks can also be removed with ease allowing you to fully wipe over the interior enamel of your oven efficiently.

Mulltifunction Cooking System

All Baumatic ovens have been designed to deliver optimum cooking results. Multifunction cooking gives you the flexibility to choose the right function that best suits your recipes. Baumatic ovens give you up to 12 different cooking functions, from a sunday roast to a sweet soufflé, the flexibility of our ovens and upright cookers will truly make your cooking world class.

Flame Failure Safety System

Thanks to Baumatic, you can enjoy complete peace of mind whilst you cook. Our flame failure safety system automatically cuts the gas supply should the flame be extinguished because of a strong current of air or liquid spillage. In effect, because we have devoted our time to ensuring your safety, you can devote your time to simply enjoying yourself in the kitchen.

High Powered Wok Burner

All Baumatic gas cooktops feature the new 16 MJ high powered triple flame wok burner. For total control, this new wok burner is dual controlled to enable you to operate the powerful flame right down to the finest simmer for delicate cooking.

One Piece Cooktop Surface

Pressed from a single sheet of stainless steel, the Baumatic gas cooktop features a seamless one-piece hob design with built-in skirts and conveniently located front controls making it aesthetically appealing, user friendly and easy to clean.

Cast-iron Pan Supports

The innovative design of these strong pan supports was inspired by a special study on the efficiency of professional kitchen appliances. Researchers found that heat can be more evenly distributed if you provide greater stability to the base of a saucepan.

Under-knob Automatic Ignition

In order to make the use of our products even easier, Baumatic have made sure that you only have to press down and turn the control knob for the hob to ignite. This simple way of igniting means that you do not have to fiddle with any extra buttons or waste time looking for matches.



Electric Ceramic Cooktops

Baumatic ceramic cooktops are built with advanced technology that delivers fast cooking results for the electric market. Gone are the days when electric cooktop style cooking is slow and unresponsive. From a powerful 2700 watts through to a finer simmering power, Baumatic's ceramic electric cooktops heat up in a matter of seconds.

Child Safety

Simply by gently pushing the lock keys on our ceramic cooktops, you can prevent the controls from being inadvertently adjusted by any member of the family. In order to make our appliances even safer, our residual heat indicators remain on until the temperature on the cooking zone has dropped below 50°C.

Touch-sensitive Control Panel

You will notice the design and layout of the controls makes operating our ceramic cooktops easy. Whilst the touch control system is simple and effective to use, it also offers the convenience of keeping the surface clean because there are no control knobs.



Induction - an Innovative Way to Cook

Using an induction cooktop is a truly unique and revolutionary way to cook. Induction cooking is not like traditional cooking methods that rely on the surface of the hob that gets heated by either gas or electric burners, which then heats the cooking utensil. Under the surface of the induction hob are generators. These generators send high frequency currents through the glass surface into the cooking utensil when placed onto the hob. These magnetic currents then heat up the pan directly inside, not the surface of the hob.

Induction cooktops thus are the most safest cooking appliance on the market today. In fact you could cook a stir fry and place a tea towel under the wok and it would not catch on fire. Not only is induction the safest cooking method, it is the most energy efficient. Finally the performance of induction is unmatchable. It will cook faster then any other heat source available and has impeccable control. From a boil to the finest simmer in literally seconds. Induction gives you total control at your fingertips.

Booster Function

Induction means that you do not have to pre-heat the zones. This is because it is the pan itself which heats and not the zone that transmits heat. Thanks to the booster function which steadily increases performance, the temperature rises even more quickly. You can get a pot of boiling water in no time!

Quiet Operation

All of our Rangehoods have quiet operation. Even when they are used at maximum power, the noise level is considerably low and never exceeds 62 dB (approximately normal conversation level). This means that you can cook in a peaceful environment and still know that your rangehood is effectively eliminating odours.

Metallic Grease Filter Cleaning Timer

Some Baumatic Rangehoods come with a lamp which signals when it is necessary to clean the grease filters. By helping you to remember to clean your appliance, this lamp will ensure that your hood continues to run at optimum levels of performance.

Lighting

Baumatic Rangehoods offer a variety of lighting options to suit all preferences. Halogen lighting is strategically placed on our Rangehoods to effectively lighten up the working area. These low voltage halogens produce a sharp, bright light to ensure a safe working environment. Alternatively some Baumatic Rangehood models offer white neon lighting that produce a fresh, crisp light to the cooking area that is efficient to run.

Extraction or Recirculating

All Baumatic Rangehoods are ready to operate as a ducted appliance. Baumatic highly recommends this type of installation for the most effective operation of your Baumatic rangehood. If for some reason you cannot duct your hood to atmosphere, a carbon filter/s can be purchased to fit to your hood, which will help eliminate odours and thus allow you to recirculate the air back into the kitchen.

Auto Cook

Making life easier in the kitchen for you, all Baumatic microwave ovens include an auto cook feature. Simply select the food type, there are 14 to choose from, add the weight and then press start. The microwave will then calculate the suitable time and power level for optimum cooking results.

Microwave Grill

As we have highlighted your Baumatic microwave can do more then just heat up your food. The grill function will enhance the final result of food being reheated by keeping food crisp. Ideal for reheating pastries by selecting the grill option combined with microwave heating.

Convection Cooking

Further to the grill function, some of our Baumatic microwaves have a combination cooking ability. This turns the microwave into a convection oven that can bake and roast meat, casseroles and vegetables additional to your main oven. The microwave utilises a special heating element and fan system to do so.

Dishwashers with Concealed Heating Elements

In order to protect your fragile dishes from calcite, Baumatic have placed the heating element outside of the inner section of the dishwasher. This ensures that there can be no accidental contact between the items that you are washing and the heating element.

Anti-flooding and Anti-leakage

Baumatic have minimized the risk of leaks and flooding by equipping all our dishwashers with a first-class protection system. This system will prevent the appliance from leaking in your home.

Adjustable Baskets

Our appliance designers have ensured that you can utilise the space inside your dishwasher as effective as possible. This means you can stack more in and the basket system is flexible enough to suit the many types of dishes needing to be cleaned. One of our new features is to enable you to adjust the top basket in seconds with our new easy to adjust handle system. Simply lift the handles on each side to adjust the top basket up or down. A very convenient feature that will save you time.



Light
Separate light control allows light to be switched on even when the oven is off.



Lower element only
This method of cooking uses the lower element to direct heat upward to the food. For slow cooking recipes or for warming up meals.



Half grill
This cooking method is normal grilling utilising the inner part only of the top element, which directs heat downward onto the food. Suitable for grilling small portions of bacon, toast, meat, etc.



Fan forced
This method of cooking uses the circular element while the heat is distributed by the fan, resulting in a faster and more economical operation. Cooking with the fan on allows different kinds of food to be cooked simultaneously on different shelves.



Fan assisted
This method of cooking provides traditional cooking with heat from the top and the lower element, plus the use of circulation fan to ensure an even distribution of the heat. Suitable for light and delicate baking such as pastries.



Top element only
This method of cooking uses the outer part of the top element to direct heat downwards onto the food. For gentle cooking, browning or keeping cooked dishes warm.



Convention oven
This method of cooking provides traditional cooking with heat from the top and lower elements. Particularly suitable for roasting and baking on one shelf only.



Full grill
This cooking method is normal grilling utilising the inner and outer part of the top element, which directs heat downwards onto the food. Suitable for grilling medium or large portions of sausages, bacon, steaks, fish, etc.



Fan & lower element
This method of cooking uses the bottom element only while the fan is circulating the heat. For delicate dishes and heating pre-cooked food. It is also for sterilising preserving jars.



Fan & grill
This method of grilling uses the top element in conjunction with the fan to help a fast circulation of heat. Suitable where quick browning is required and sealing the juices in such as steaks, hamburgers, some vegetables, etc.



Pizza function
This method of cooking uses the lower and circular element while the heat is distributed by the fan reproducing the same conditions of traditional clay wood-fire stoves.



Full grill & rotisserie
Please check your model number to establish if the rotisserie accessory is supplied. This function will operate the rotisserie as well as the grill simultaneously giving a moderate to strong heat. Best for whole chickens, kebabs, and speed roasts.



Grill & rotisserie
Please check your model number to establish if the rotisserie accessory is supplied. This function will operate the rotisserie as well as the grill and the fan simultaneously. Best for quick browning and even roasting.



Defrost
The fan runs without heat to reduce the defrosting time of frozen foods. The time required to defrost the food will depend on the room temperature, the quantity and type of food. Always check food packaging for instructions.



PRH – Preheating
This function uses the grill, the lower element and fan. It is intended for preheating the oven in a faster time up to 210°C.

INTERNATIONAL MODELS SHOWN

BAO6001-P

60 cm Fan forced oven

4 Functions
Mark free stainless steel
Wipe clean enamel interior
LED 24hr program timer
Removable roof guard
Easy glide door hinges
Fully sealed oven
Triple glazed door with full inner door glass
One piece seamless oven liner
Moulded side oven racks
Cavity cooling system

BAO6003-P

60 cm Multifunction oven

7 Functions
Mark free stainless steel
Wipe clean enamel interior
LED 24hr program timer
Removable roof guard
Easy glide door hinges
Fully sealed oven
Triple glazed door with full inner door glass
One piece seamless oven liner
Moulded side oven racks
Cavity cooling system

BAO6005-P

60 cm Multifunction oven

9 Functions
Mark free stainless steel
Wipe clean enamel interior
LED temperature display
LED 24hr program timer
LED function display
Auto temperature display
Retractable control knob
Removable roof guard
Easy glide door hinges
Fully sealed oven
Triple glazed door with full inner door glass
One piece seamless oven liner
Chromed steel oven racks
Cavity cooling system

BAO6009-P

60 cm Multifunction self cleaning pyrolytic oven

9 Functions
Mark free stainless steel
Pyrolytic auto clean system
Superior quality enamel interior
LED temperature display
LED 24hr program timer
Quadruple glazed door
Safety door locking mechanism for pyrolytic cleaning
Easy glide door hinges
One piece seamless oven liner
Fully sealed oven
Moulded side oven racks
Cavity cooling and cool door system

BAO6011-P2

60 cm Multifunction Side-opening Oven

9 Functions
Mirror glass and mark free stainless steel finish
Giant 75 litre oven capacity
Left or Right side opening oven door
Wipe clean enamel interior
LED 24hr program timer
LED temperature display
Removable roof guard
Fully sealed oven
Triple glazed door with full inner door glass
One piece seamless oven liner
Chromed steel oven racks
Cavity cooling system

BAO7006-P

70 cm Multifunction Oven

9 Functions
Mark free stainless steel finish
Wipe clean enamel interior
LED 24hr program timer
Easy glide door hinges
Removable roof guard
Fully sealed oven
Triple glazed door with full inner door glass
One piece seamless oven liner
Chromed steel oven racks
Cavity cooling system
Rotisserie

BAO9038-P

90 cm Multifunction Oven

9 Functions
Mark free stainless steel finish
Wipe clean enamel interior
LED 24hr program timer
Easy glide door hinges
Triple glazed door
One piece seamless oven liner
Cavity cooling system
Chromed steel oven racks
Rotisserie

BAO6008-P

60 cm Double Oven

Top oven: 4 functions • Capacity 36 litres

Main oven: 9 functions • Capacity 60 litres

4 Functions Top oven
9 Functions Main oven
Wipe clean enamel interior
LED 24hr program timer
Easy glide door hinges
Triple glazed removable oven door
One piece seamless oven liner
Cavity cooling system
Chromed steel oven racks

BAO4636-P

46 cm Touch Control Multifunction Oven

10 Functions
Mark free stainless steel
Wipe clean enamel interior
LED temperature display
LED 24hr program timer
LED function display
Touch control operation
Easy glide door hinges
Fully sealed oven
Triple glazed door with full inner door glass
One piece seamless oven liner
Chrome steel oven racks
Cavity cooling system

BAO6035-P

60 cm Touch Control Multifunction Oven

10 Functions
Mark free stainless steel
Wipe clean enamel interior
LED temperature display
LED function display
LED 24hr program timer
Touch control operation
Easy glide door hinges
Fully sealed oven
Triple glazed door with full inner door glass
One piece seamless oven liner
Chromed steel oven racks
Cavity cooling system

BAWD1401-P

14 cm high Warming drawer

Mark free stainless steel
3 heat levels
Adjustable temperature (up to 85 ° C)
Accommodate 6 place setting
Maximum load: 25kg

BAWD2902-P

29 cm high Warming drawer

Mark free stainless steel
6 heat levels plus MAX
Adjustable temperature (up to 70 ° C)
Accommodate 12 place setting
Maximum load: 25kg

BACG6030-P



60 cm Four Burner Gas Cooktop

New unique design
Stainless steel
16 MJ high powered triple flame wok burner
Dual controlled wok burner for fine simmer or maximum power
Flame failure safety device
Cast iron trivets with rubber feet
Automatic under knob electronic ignition
High quality alloy burner system
Convenient front controls
One piece easy wipe surface with spill catchment area

BACG7531-P

70 cm Five Burner Gas Cooktop

New unique design
Stainless steel
16 MJ high powered triple flame wok burner
Dual controlled wok burner for fine simmer or maximum power
Flame failure safety device
Cast iron trivets with rubber feet
Automatic under knob electronic ignition
High quality alloy burner system
Convenient front controls
One piece easy wipe surface with spill catchment area

BACG7532-P

75 cm Flushline Five Burner Gas Cooktop

Flush line design
Stainless steel
16 MJ high powered triple flame wok burner
Dual controlled wok burner for fine simmer or maximum power
Flame failure safety device
Cast iron trivets with rubber feet
Automatic under knob electronic ignition
High quality alloy burner system
Convenient front controls
One piece easy wipe surface with spill catchment area

BACG9033-P

90 cm Five Burner Gas Cooktop

New unique design
Stainless steel
16 MJ high powered triple flame wok burner
Dual controlled wok burner for fine simmer or maximum power
Flame failure safety device
Cast iron trivets with rubber feet
Automatic under knob electronic ignition
High quality alloy burner system
Convenient front controls
One piece easy wipe surface with spill catchment area

BACG3034-P

30 cm Two Burner Gas Cooktop

New unique design
Stainless steel
Flame failure safety device
Cast iron trivets with rubber feet
Automatic under knob electronic ignition
High quality alloy burner system
Convenient front controls
One piece easy wipe surface with spill catchment area
Optional joining strip available - PJS

BACG3035-P

30 cm Wok Burner Cooktop

New unique design
Stainless steel
16 MJ high powered triple flame wok burner
Dual controlled wok burner for fine simmer or max power
Flame failure safety device
Cast iron trivets with rubber feet
Automatic under knob electronic ignition
High quality alloy burner system
Convenient front controls
One piece easy wipe surface with spill catchment area
Optional joining strip available - PJS

BACE3036-P

30 cm Two Hyperspeed Zone Ceramic Hob

2 hyper speed zones
Stainless steel frame
Tough ceran glass surface
Spill catchment area
Residual heat indicators
Convenient front controls
Optional joining strip available - PJS

BAMW2330-P

23 Litre Microwave Oven with Grill

Microwave power: 900W
Grill power: 1000W
Mirror glass finish
Stainless steel interior
LED display & clock, fully programable
99min 99sec timer
Electronic push button controls
Child safety lock
14 functions, 10 power levels
Oven capacity: 23 litres

OPTIONAL TRIMKIT – BTK2325

BAMW2531-P

25 Litre Convection Microwave Oven with Grill

Microwave power: 900W
Grill power: 1200W
Mirror glass finish
Stainless steel interior
LED display & clock fully programable
99min 99sec timer
Electronic push button controls
Child safety lock
16 functions,10 power levels
Oven capacity: 25 litres

OPTIONAL TRIMKIT – BTK2325

BAM3000

30 Litre Convection Microwave Oven with Grill

Microwave power: 900W
Grill power: 1000W
Stainless steel interior & exterior
LED display & clock fully programable
99min 99sec timer
Electronic push button controls
Child safety lock
7 functions,11 power levels
Oven capacity: 30 litres

OPTIONAL TRIMKIT – BTK30

Baumatic

BAF9006.2

Class A Energy Rating

The European Union enforce energy ratings for all upright cookers, the highest energy efficiency rating attainable is Class A. The Baumatic upright cookers have been tested and have received the Class A energy rating.

Zero Side Clearance

All Baumatic upright cookers are built using the latest technology and are superior in design. These upright cookers maintain cool operating temperatures that allows you to install the cooker with no gaps on each side for a perfect fit.

90 cm Dual Fuel Upright Cooker
Electric 10 Multifunction Oven and Grill

Oven features:

Stainless steel framed, triple glazed door
Full inner glass door
LED 24hr program timer
Chrome steel oven racks
Rotisserie
Large usable oven capacity

Cooktop features:

Five burner gas hob with triple flame wok burner
Automatic under knob ignition
Heavy duty cast iron trivets
One piece easy clean surface
Flame failure safety system

Triple Glazed Door

Flame Failure Safety System

Large Oven Capacity

BAF9007.2

90 cm Dual Fuel Double Oven Upright Cooker
Electric 10 Multifunction Oven and Grill

main oven



second oven

Oven features:
Stainless steel framed, triple glazed door
Full inner glass door
LED 24hr program timer
Rotisserie
Chrome steel oven racks
Large usable twin oven capacity

Cooktop features:
Five burner gas hob with triple flame wok burner
Automatic under knob ignition
Heavy duty cast iron trivets
One piece easy clean surface
Flame failure safety system

BAF9008.2

90 cm All Electric Upright Cooker
Electric 10 Multifunction Oven and Grill



Oven features:

Stainless steel framed, triple glazed door
Full inner glass door
LED 24hr program timer
Rotisserie
Chrome steel oven racks
Large usable oven capacity

Cooktop features:
Five zone hyper speed electric ceran cooktop
Three extended zones
Residual heat indicators

OPTIONAL EXTRAS

Stainless Steel Splashback : GESB9001.1

Complete your Baumatic rangehood and upright package with an optional stainless steel splashback.
Height = 700mm
Width = 900mm



Griddle Plate : BT/GRID

Turns your cooktop into a flexible cooking utensil.
Place over the centre burner on a 90cm gas cooktop, or over two individual gas burners allowing for two different levels of heat.
Suitable for all cooking theatres with gas cooktops and all inbuilt gas cooktops.

Pizza Stone : PIZZA60 or PIZZA90

Versatile pizza stone for upright cookers and inbuilt ovens.
Made from selected fired clay, dried and heated at 1315ºC.
Ideal for bread or patisserie style cooking



BAF6001

60 cm Dual Fuel Upright Cooker
Electric 10 Multifunction Oven and Grill

Oven features:
Stainless steel framed, triple glazed door
Full inner glass door
Wipe clean, non-porous enamel oven cavity
LED 24hr program timer
Rotisserie
Telescopic oven safety shelves
Storage drawer
Large usable oven capacity

Cooktop features:
Four burner gas hob with triple flame wok burner
Automatic under knob ignition
Flame failure safety device
Heavy duty cast iron trivets
One piece easy clean surface

BAF7002

70 cm Dual Fuel Upright Cooker
Electric 10 Multifunction Oven and Grill

Oven features:
Stainless steel framed, triple glazed door
Full inner glass door
Wipe clean, non-porous enamel oven cavity
LED 24hr program timer
Rotisserie
Telescopic oven safety shelves
Storage drawer
Large usable oven capacity

Cooktop features:
Five burner gas hob with triple flame wok burner
Automatic under knob ignition
Flame failure safety device
Heavy duty cast iron trivets
One piece easy clean surface

BAF9003

90 cm Dual Fuel Upright Cooker
Electric 10 Multifunction Oven and Grill



Oven features:
Stainless steel framed, triple glazed door
Full inner glass door
Wipe clean, non-porous enamel oven cavity
LED 24hr program timer
Rotisserie
Telescopic oven safety shelves
Storage drawer
Large usable oven capacity

Cooktop features:
Five burner gas hob with triple flame wok and fish burner
Automatic under knob ignition
Flame failure safety device
Heavy duty cast iron trivets
One piece easy clean surface

BA10

60 cm Ceramic Electric Cooktop

Four radiant zones
Frameless design
Tough ceran glass surface
Residual heat indicators
Side control knob operation

BA13.2

60 cm Ceramic Electric Cooktop

Four radiant zones
Frameless design
Tough ceran glass surface
Child safety lock
Residual heat indicators
Pre-heat function
Electronic 99 minute timer
Side touch control operation

BA15.2SS

60 cm Ceramic Electric Cooktop

Four hyper speed zones including dual zone
Stainless steel designer wrap around frame
Tough ceran glass surface
Child safety lock
Residual heat indicators
Pre-heat function
Electronic 99 minute timer
Side touch control operation

BA16.2SS

77 cm Ceramic Electric Cooktop

Four hyper speed zones including one dual zone and one extended zone
Stainless steel designer wrap around frame
Tough ceran glass surface
Child safety lock
Residual heat indicators
Pre-heat function
Electronic 99 minute timer
Convenient front touch control operation

BA24.3

60 cm Induction Electric Cooktop

Four induction cooking zones, with booster feature on large cooking zone
Four independent induction generators
Bevelled edge
Tough ceran glass surface
Auto pan detection
Child safety lock
Residual heat indicators
Electronic 99 minute timer
Front touch control operation & electronic timer
7 kW maximum power

BACE9001

90 cm Ceramic Electric Cooktop

Four hyper speed zones including two dual zones
Stainless steel wrap around frame
Unique inline zone design
Tough ceran glass surface
Child safety lock
Residual heat indicators
Pre-heat function
Electronic 99 minute timer
Convenient front touch control operation

Baumatic®

: the smart choice

Baumatic®

: the smart choice

BAH6018

60 cm Slideout Rangehood

Stainless steel rail with white underside
Twin centrifugal motors
440 m³/hr drawing capacity
3 speed slide control
Twin incandescent lighting
2 framed metallic grease filters

BAH6019

60 cm Slideout Rangehood

Stainless steel rail with white underside
Single tangential motor
700 m³/hr drawing capacity
3 speed electronic control
Twin round halogen lighting
2 framed metallic grease filters

BAH9033

90 cm Slideout Rangehood

Stainless steel rail with black underside
Single centrifugal motor
385 m³/hr drawing capacity
2 speed slide control
Twin round halogen lighting
1 framed metallic grease filter

BHH5600
BHH8000

56 cm Undermount Rangehood
80 cm Undermount Rangehood

Stainless steel finish
Single tangential motor
600 m³/hr drawing capacity
3 speed electronic optical controls
Automatic shut off timer
Clean filter warning
Twin square halogen lighting
2 framed anti-grease grease filters with stainless steel grill

BAH6008
BAH7006

60 cm Wall Canopy
70 cm Wall Canopy

Stainless steel finish
High extraction tangential motor
700 m³/hr drawing capacity
3 speed, push button controls
2 framed metallic grease filters
Twin round halogen lighting
Stainless steel flue extensions available

BAH9007

90 cm Wall Canopy

Stainless steel finish
High extraction tangential motor
700 m³/hr drawing capacity
3 speed, push button controls
3 framed metallic grease filters
Twin round halogen lighting
Stainless steel flue extensions available

BHH9028

90 cm Wall Canopy

Superior stainless steel finish
Twin square halogen lighting
Single tangential motor
800 m³/hr drawing capacity
4 speed electronic optical controls
3 framed anti-grease filter with stainless steel grill

BHH9029G

90 cm Glass Wall Canopy

Superior stainless steel finish with tempered glass smoke visor
Twin square halogen lighting
Single tangential motor
800 m³/hr drawing capacity
4 speed electronic optical controls
Automatic shut off timer
Clean filter warning
2 framed anti-grease filters with stainless steel grill

BHH9027G

90 cm Glass Wall Canopy

Superior stainless steel finish with curved glass smoke visor
Twin square halogen lighting
Single tangential motor
800 m³/hr drawing capacity
4 speed electronic optical controls
Automatic shut off timer
Clean filter warning
2 framed metallic grease filters

BHH9034

90 cm Wall Canopy

Superior stainless steel finish
800 m³/hr drawing capacity
4 speed electronic optical controls
Automatic shut off timer
Clean filter warning
3 framed anti grease filters with stainless steel grill
White neon lighting
Night illuminating panel

BHH9035

90 cm Wall Canopy

Superior stainless steel finish
Single tangential finish
800 m³/hr drawing capacity
4 speed electronic optical controls
3 framed anti-grease filters with stainless steel grill
Clean filter warning
White neon lighting
Automatic shut off timer
Night illumination panel

BAH9031-P

90 cm Chimney hood

Markfree stainless steel finish
Single tangential motor
800 m³/hr drawing capacity
Advanced perimeter suction
Sound absorption panel
4 speed electronic optical controls with LED screen
Automatic shut off timer
Clean filter warning
3 round halogen lights
2 framed metallic grease filters

BAH4030-P

40 cm Island hood

Superior stainless steel finish
Single tangential motor
800 m^3/hr drawing capacity
Advanced perimeter extraction
Sound absorption panel
4 speed electronic optical controls with LED screen
Automatic shut off timer
Clean filter warning
Four halogen lights
1 Framed metallic grease filter

BHH9034-IS

90 cm Island Canopy

Superior stainless steel finish
800 m^3/hr drawing capacity
4 speed electronic optical controls
Automatic shut off timer
Clean filter warning
3 framed anti grease filters with stainless steel grill
White neon lighting
Night illuminating panel

BHH9029G-IS

90 cm Glass Island Canopy

Superior stainless steel finish with tempered glass smoke visor
Twin square halogen lighting
Single tangential motor
800 m^3/hr drawing capacity
4 speed electronic optical controls
Automatic shut off timer
Clean filter warning
2 framed anti-grease filters with stainless steel grill

ACCESSORIES

Charcoal filters enable effective filtering of recirculated air back into your kitchen.

Available for all Baumatic Rangehoods.

Flue cover extensions enable effective Rangehood installation for ceilings of all heights.

Available for all Baumatic Canopies.

BAD6002

60 cm Freestanding Dishwasher

Mark free stainless steel door
Twelve place settings
Seven wash programs
Four wash temperatures
Concealed control panel
LED function & time display on front door panel
Half load function
Delay timer
Concealed heating element
Convection dry
Self cleaning stainless steel micro filter
Anti leak & anti flood water safety device
Pex durable hoses

BAD6003

60 cm Fully Integrated Dishwasher

Integrate to match cabinetry
Twelve place settings
Turbo condenser drying
Seven wash programs
Four wash temperatures
Concealed control panel
Half load function
Delay timer
Concealed heating element
Anti leak & anti flood water safety device
Self cleaning stainless steel micro filter
Pex durable hoses

BFD67ISS

60 cm Freestanding Dishwasher

14 Place settings
8 Functions
4 Wash temperatures
Half load
Electronic aqua stop
Residual drying
LCD Display and delay timer
Mark resistant coating
Concealed heating element
Self cleaning Stainless Steel micro filter
Anti leak device + anti flood device
Height adjustable upper basket
Collapsible plate racks
Adjustable feet

BAEC2SS

60 cm Espresso Coffee Machine

Mark free stainless steel
Push button control operation
Filter suitable for pods, ground coffee or loose-leaf tea
Coffee regulation – extra strong / normal / weak
Steam spout for frothing milk or heating water
Pull-out storage compartment for accessories
Separate boiler and pump for coffee making & steam
Coffee pump pressure = 15 bar
Steam pump pressure = 2.5 bar
Removable 2 litres capacity water tank
Water softener for water filtration
Empty water tank warning LED light
Reaching temperature LED indicator
Safety stop operation on pumps
Removable drip tray for ease of cleaning
Suitable for plumbing in
OPTIONAL PLUMBKIT: BAPK6001

BAEC2SS.2

60cm Semi Automatic Coffee Machine

Mark resistant coating with central mirror glass
Touch control operation
Filter suitable for pods, ground coffee or loose-leaf tea
Steam spout for frothing milk
Hot water dispensing spout for tea or instant coffee
Pull-out storage compartment for accessories
Separate boiler and pump for coffee making & steam
Coffee pump pressure = 15 bar
Removable 1.8 litres capacity water tank
Water softener for water filtration
Empty water tank warning LED light
Reaching temperature LED indicator
Safety stop operation on pumps
Removable drip tray for ease of cleaning
Plumb-kit is standard allowing unit to be plumbed in
Water tank can be manually filled



BAO6003-P, BAO6005-P, BA6009-P and BAO6035-P : 15 AMP PLUG
BAO6001-P : 10 AMP PLUG



BAO6011-P : 15 AMP PLUG



BAO7006-P : 15 AMP PLUG



BAO9038-P : 15 AMP PLUG



BAO6008-P : HARD WIRED 30 AMP



BAO4636-P : 15 AMP PLUG

For full installation requirements, including ventilation for cabinetry, please refer to user and installation manual found with the product or on our website.



BACG3034-P : 10 AMP PLUG



BACG3035-P : 10 AMP PLUG



BACG7532-P : 10 AMP PLUG



BACG6030-P : 10 AMP PLUG



BACG7531-P : 10 AMP PLUG



BACG9033-P : 10 AMP PLUG

For full installation requirements, including ventilation for cabinetry, please refer to user and installation manual found with the product or on our website.



BACE3036-P : HARD WIRED 15 AMP



BA10 : HARD WIRED 25 AMP



BA13.2 : HARD WIRED 25 AMP
BA15.2SS : HARD WIRED 30 AMP



BA24.3 : HARD WIRED 32 AMP



BA16.2SS : HARD WIRED 30 AMP



BACE9001 : HARD WIRED 30 AMP

For full installation requirements, including ventilation for cabinetry, please refer to user and installation manual found with the product or on our website.







BAF9006.2 + BAF9007.2 : 15 AMP PLUG
BAF9008.2 : HARDWIRED 50 AMP
OPTIONAL STAINLESS STEEL KICK PANEL : GEKP9004



BAF6001 + BAF7002 + BAF9003 : 15 AMP PLUG



BAMW2330-P : 10 AMP PLUG



BAMW2531-P : 10 AMP PLUG



BAM3000 : 10 AMP PLUG

For full installation requirements, including ventilation for cabinetry, please refer to user and installation manual found with the product or on our website.



BAWD1401-P : 10 AMP PLUG



BAEC2SS : 10 AMP PLUG



BAD6003 : 10 AMP PLUG



BAWD2902-P : 10 AMP PLUG



BAEC2SS.2 : 10 AMP PLUG



BAD6002 + BFD671SS : 10 AMP PLUG

For full installation requirements, including ventilation for cabinetry, please refer to user and installation manual found with the product or on our website.



BAH6018 : FLUE OUTLET - 120MM
CARBON FILTER - GECF0107



BAH6019 : FLUE OUTLET - 120MM
CARBON FILTER - GECF0108



BAH9033



BHH5600 + BHH8000 : FLUE OUTLET - 150MM
CARBON FILTER - GECF0116



BAH9007 + BAH6008 + BAH7006 : FLUE OUTLET - 120MM
CARBON FILTER - GECF0108
FLUE COVER EXTENSION - GEFE1202



BHH9028 : FLUE OUTLET - 150MM
CARBON FILTER - GECF0113
FLUE COVER EXTENSION - GEFE9602



BHH9029G : FLUE OUTLET - 150MM
CARBON FILTER - GECF0113
FLUE COVER EXTENSION - GEFE9602

ELECTRICAL CONNECTIONS : ALL RANGEHOODS AND CANOPIES COME WITH A 10 AMP PLUG

For full installation requirements, including ventilation for cabinetry, please refer to user and installation manual found with the product or on our website.



BHH9027G : FLUE OUTLET - 150MM
CARBON FILTER - GECF0113
FLUE COVER EXTENSION - GEFE9604



BHH9034 : FLUE OUTLET - 150MM
CARBON FILTER - GECF0113
FLUE COVER EXTENSION - GEFE9602



BHH9035 : FLUE OUTLET - 150MM
CARBON FILTER - GECF0113
FLUE COVER EXTENSION - GEFE9605



BAH9031-P : FLUE OUTLET - 150MM
CARBON FILTER - GECF0114



BAH4030-P : FLUE OUTLET - 150MM
CARBON FILTER - GECF0114



BHH9029G-IS : FLUE OUTLET - 150MM
CARBON FILTER - GECF0113
FLUE COVER EXTENSION - GEFE1200



BHH9034 - IS : FLUE OUTLET - 150MM
CARBON FILTER - GECF0113
FLUE COVER EXTENSION - GEFE1200

ELECTRICAL CONNECTIONS : ALL RANGEHOODS AND CANOPIES COME WITH A 10 AMP PLUG

For full installation requirements, including ventilation for cabinetry, please refer to user and installation manual found with the product or on our website.

Baumatic®

: the smart choice



Baumatic imported and serviced by Think Appliances
65 Northgate Drive
Thomastown
Victoria
AUSTRALIA 3074

Sales phone 1300 132 824
Sales fax 1300 660 188
Service phone 1800 444 357
Service fax 1300 133 279

Think Appliances operate a policy of continuous improvement and reserve the right to adjust and modify its products and prices without prior notification.

clive peeters So easy®

All Pythagora models are available exclusively through Clive Peeters and Rick Hart (WA) stores.
Call: 1300 763 279 for your nearest store.

www.baumatic.com.au